

## Site Requirements: PASMA Mobile Access Towers - Towers for Users

**This form is for reference only.**

A full Site Requirements Sheet will be emailed, and must be completed, prior to any onsite training being booked.

|                         |                                                                                                                                                                                                                                                                                                                                                                        |
|-------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Prior to Course         | <p>Delegate's full name, home address, date of birth and national insurance number</p> <p>Delegate's previous certification (<i>for refresher courses only</i>)</p>                                                                                                                                                                                                    |
| Welfare Facilities      | <p>Toilets</p> <p>An area for refreshments</p> <p>Information on fire procedures</p> <p>First aid provisions for all areas where training will take place</p>                                                                                                                                                                                                          |
| Training Room           | <p>Seating for up to 12 delegates, plus instructor</p> <p>Table/s for up to 12 delegates to complete paperwork</p> <p>Table/s for instructor to set up a laptop and projector, and to complete paperwork</p> <p>240v power supply with available sockets for laptop and projector</p> <p>Screen or blank wall for projection</p> <p>Adequate heating / ventilation</p> |
| Practical Training Area | <p>Sufficient area cordoned off for exclusive use during training</p> <p>Indoor area of at least 6 metres in height may be required in the event of inclement weather</p> <p>Area must be available for duration of training and allow the instructor to be heard clearly</p>                                                                                          |
| Equipment               | <p>Mobile Assess Tower/s, with 3T and AGR methods available, at least 4 metres in height</p> <p>Erection guide for the tower using the 3T method</p> <p>Erection guide for the tower using the AGR method</p> <p>Risk assessment for use of mobile access towers</p> <p>Rescue Plan</p>                                                                                |
| PPE                     | <p>Safety footwear</p> <p>Hi-viz clothing*</p> <p>Hard hat*</p> <p>Gloves*</p>                                                                                                                                                                                                                                                                                         |

*\* If company policy states that these items of PPE are required.*